



MENCARELLI PUMP



**Flexible Impeller pumps
for the Wine Industry**

The Specialists in Impeller Pump Technology

Mencarelli Pump a leading manufacture in die pressed stainless steel products for over 75 years!

Using advanced high thickness stainless steel metal pumps with cold forming technology provides exceptional quality and value to their customers.

Mencarelli's mission is to keep their customers expectations high by offering reliable products and technical support service.

Applications:

- Juice Transfer
- Bottling
- Racking
- Filtering




INOX Series Flexible Impeller Pumps

Positive Displacement Self-Priming Models

Model	Motor			Flow Rate (GPM)					Port Connection*
	HP	RPM	Voltage	8 ft	24 ft	36 ft	52 ft	82 ft	
INOX-20	1	1050	230/460	16.5	13.5	11.5	8.2	3	½" or 1" Tri-Clamp
INOX-30	1	1120	230/460	23	21	19	14	5	1" Tri-Clamp
INOX-40	2	1145	230/460	48	39.5	32.5	28	9.5	1 ½" Tri-Clamp
INOX-50	3	1160	230/460	110	60	40	12	-	2" Tri-Clamp
INOX-80	6	860	230/460	202	150	120	75	-	3" Tri-Clamp

*Available in other connections, contact your representative for pricing.

Pumps have minimal parts, and simple field replacement.



Materials					
2	Body:	304 Stainless Steel	6	Body O-Ring:	NBR
1	Face:	304 Stainless Steel	7	Seal Disc:	304 Stainless Steel
3	Impeller:	Neoprene	8	Fasteners & Tie Rods:	304 Stainless Steel
Mechanical Seal					
4	Rotating Face:	Graphite	5	Stationary Face:	Ceramic
	O-Ring:	NBR		Spring:	304 Stainless Steel

Our product range:

- Flexible Impeller
- Self-Priming Centrifugal
- Axial Flow Centrifugal
- Sanitary Centrifugal
- Liquid Ring Centrifugal

Industries:

- Wineries
- Breweries
- Distilleries
- Food Processing
- Dairy

How to reach us

Mencarelli is present worldwide. Visit our website to find out more information about our company and services. Visit us at www.mencarelliusa.com

Mencarelli USA

138 S Hazel Dell, Suite 112
Canby, OR 97013 USA
Tel: (971) 715-1200
sales@mencarelliusa.com

Represented by:



Owens Pump & Equipment

(503) 420-8390

(503) 212-0942 Fax

sales@owenspump.com

www.owenspump.com

Standard Cart:

- Two Wheel Design
- 304 SS Construction
- REV / OFF / FWD Switch
- Rosi Pin & Sleeve Plug
- 25' Power Cable

Cart Model Options:

- Geared Motor
- VFD (Speed Control)
- Remote Speed Controls
- On / Off / Reverse
- Pigtail (Filling Equipment)
- Four Wheel Cart

